



# JAK ZAINSTALOWAĆ SZABLON ?

Po wykupieniu licencji otrzymujemy paczkę ZIP z CMS Joomla! + zainstalowany szablon oraz komponenty i moduły tworzące całą witrynę. Pierwszym naszym krokiem jest rozpakowanie tej paczki, w której powinny znajdować się 3 pliki. 1. Plik z systemem np. dd\_excavator\_119

2. Plik start.php inicjujący procedurę instalacji systemu.
3. Plik start.ini z językiem instalatora



Piki musimy wgrać do naszego katalogu na serwerze, w którym ma znajdować się nasza strona i aktywować plik instalatora, robimy to w prosty sposób do adresu naszej strony, dopisujemy po sleszu **/start.php**



Teraz musimy kliknąć klawisz ESC

# Akeeba Kickstart Core 7.0.1

Want some help to use this tool? Read this first: [Quick Start Guide](#)

1

Select a backup archive

Archive directory:

C:/xampp/htdocs/twoja\_strona/

Reload

Archive file:

dd\_excavator\_119.zip

Archive Password (for JPS files)

.....

Start

Klikamy **START**, następuje wypakowanie plików na serwer.

# Akeeba Kickstart Core 7.0.1

5

Extracting

Do not close this window while the extraction is in progress

C:/xampp/htdocs/twoja\_strona/installation/framework/database/driver/pdo.php

Copyright © 2008–2020 Nicholas K. Dionysopoulos / Akeeba Backup. All legal rights reserved.  
This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

Spokojnie czekamy, aż pasek postępu dojdzie do końca.

# Akeeba Kickstart Core 7.0.1

6

Restoration and Clean Up

Run the Installer

Copyright © 2008–2020 Nicholas K. Dionysopoulos / Akeeba Backup. All legal rights reserved.  
This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

Jeżeli wszystko poszło sprawnie, pojawi nam się okienko jak powyżej, wciskamy przycisk **RUN THE INSTALLER**.

Akeeba Backup Site Restoration Script v7.2.1

Start overCheck againNext

1

No idea what you are supposed to do? Don't panic!

Read the documentation page

Watch the tutorial video

Pre-Installation > Database Restoration > Site Setup > Finished

Pre-installation check

If any of these items is not supported (marked as No) then please take actions to correct them. Failure to do so could lead to your site not functioning correctly.

| Setting                     | Current |
|-----------------------------|---------|
| PHP Version >= 5.3.1        | ✓ Yes   |
| Magic Quotes GPC Off        | ✓ Yes   |
| Register Globals Off        | ✓ Yes   |
| Zlib Compression Support    | ✓ Yes   |
| XML Support                 | ✓ Yes   |
| Database Support            | ✓ Yes   |
| MB Language is Default      | ✓ Yes   |
| MB String Overload Off      | ✓ Yes   |
| INI Parser Support          | ✓ Yes   |
| JSON Support                | ✓ Yes   |
| configuration.php Writeable | ✓ Yes   |

Recommended settings

These settings are recommended for PHP in order to ensure full compatibility with your site's software. However, your site should still operate if your settings do not quite match the recommended configuration.

| Setting              | Recommended | Current |
|----------------------|-------------|---------|
| Safe Mode            | Off         | ✓ Off   |
| Display Errors       | Off         | ⚠ On    |
| File Uploads         | On          | ✓ On    |
| Magic Quotes Runtime | Off         | ✓ Off   |
| Output Buffering     | Off         | ⚠ On    |
| Session Auto Start   | Off         | ✓ Off   |
| Native ZIP support   | On          | ✓ On    |

Jeżeli wszystkie ustawienia mamy na zielono, klikamy u góry przycisk **NEXT**.

Akeeba Backup Site Restoration Script v7.2.1

← Previous → Skip Restoration → Next

! No idea what you are supposed to do? Don't panic! [Read the documentation page](#)

Pre-installation > Database Restoration > Site Setup > Finished

### Restoration of site's main database

? Show / hide help

#### Connection information

Database type: MySQLi (preferred)

Database server host name: localhost

User name: root

Password: Password

Database name: dd\_finance\_118

Database table name prefix: ep15z\_

#### Advanced options

With existing tables: Drop

☐ Select which tables to restore

☒ Suppress foreign key checks

☒ No auto value on zero

☐ Use REPLACE instead of INSERT

☐ Force UTF-8 collation on database

☐ Force UTF-8 collation on tables

☐ Allow UTF8MB4 auto-detection

☒ Stop on CREATE error

☒ Stop on other error

#### Fine tuning

! Do not change these settings unless you are requested to do so by our support or you *REALLY* know what you are doing.

Maximum execution time: 5

Throttle time (msec): 250

Teraz konfigurujemy dostęp do naszej bazy danych **MySQL**, którą musimy uprzednio sobie założyć w naszym panelu administracyjnym naszego serwera. Czerwone okienko wpisujemy nazwę użytkownika.

Zielone okienko wpisujemy nasze hasło.

Różowe okienko wpisujemy nazwę naszej bazy danych. Następnie klikamy **NEXT** w prawym górnym rogu.

User name: root

### Database restoration

✓ The database restoration was successful

Click the button below to proceed to the next step

→ Next step

Otrzymaliśmy komunikat, że wgrywanie bazy danych zostało pomyślnie zakończone.

Klikamy przycisk **Next step**.

Akeeba Backup Site Restoration Script v7.2.1

PreviousNext

No idea what you are supposed to do? Don't panic!Read the documentation page

Pre-installation > Database Restoration > Site Setup > Finished

Show / hide help

Site Parameters

Site name

DD excavator 119

Site e-mail address

admin@email.com

Site e-mail sender name

DD excavator 119

Live site URL

Force SSL

None

Cookie domain

Cookie path

Turn on mail sending

NoYes

Override tmp and log paths

Directories fine-tuning

Site root

C:\xampp\htdocs\twoja\_strona

Temporary directory

C:\xampp\htdocs\dd\_finance\_118\tmp

Log directory

C:\xampp\htdocs\dd\_finance\_118\administrator\logs

FTP Layer Options

Some shared hosts make it impossible for PHP to write to files and directories uploaded by FTP. If you are on such a host and have used FTP or Kickstart's Upload by FTP extraction option you want to configure and enable the FTP layer.

Enable the FTP layer

Server-specific configuration files

Files which modify the way your server behaves when serving your site may cause site loading issues when restoring to a new host. Use the options below to reset them to Joomla! defaults.

Remove .user.ini and / or php.ini files from the main site directories

Replace main .htaccess file with default

Remove AddHandler/SetHandler from .htaccess

Replace AddHandler/SetHandler lines

Delete the .htaccess and .htpasswd files in the administrator directory

Super User settings

Super User

admin

E-mail

admin@email.com

Password

Password (repeat)

Wypełniamy okienko na różowo zaznaczone, są to dane super użytkownika dające nam dostęp do panelu administracyjnego. Musimy podać  
Nazwę użytkownika  
e-mail  
hasło  
i powtórzyć hasło. Następnie w prawym górnym rogu wciskamy **NEXT**

Akeeba Kickstart Core 7.0.1Akeeba Backup Site Restoration

Akeeba Backup Site Restoration Script v7.2.1Previous

No idea what you are supposed to do? Don't panic!Read the documentation page

Pre-installation > Database Restoration > Site Setup > Finished

Almost there!

Close this window to return to Kickstart. Click the **Clean Up** button to start using your restored site.

Copyright © 2008–2020 Nicholas K. Dionysopoulos / Akeeba Backup. All legal rights reserved.  
AKEBA is Free Software distributed under the GNU GPL version 3 or any later version published by the FSF.

Akeeba

Dostaliśmy informację o zakończeniu instalacji oraz prośbę o wyczyszczeniu plików instalacyjnych, w tym celu klikamy zakładkę zaznaczoną na różowo.

Akeeba Kickstart Core 7.0.1


6 Restoration and Clean Up

Clean Up

Copyright © 2008–2020 Nicholas K. Dionysopoulos / Akeeba Backup. All legal rights reserved.  
This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

1

Wciskamy przycisk **Clean UP**



I w tym momencie mamy zainstalowany szablon wraz z Joomla!, klikamy na **VISIT YOUR SITE,S FRONTED** i przechodzimy na stronę główną naszej strony.

[Następny artykuł](#)

[Regulamin Strony internetowej](#)

[Polityka Prywatności](#)

[Polityka Cookies](#)

Chcesz otrzymywać wiadomości o aktualizacjach, nowych szablonach, zapisz się na naszą listę.

Email

Zapisz



Nazwa Joomla! ® jest używana na podstawie ograniczonej licencji z Open Source Matters w Stanach Zjednoczonych i innych krajach. **DiabłoDesign** nie jest powiązany ani wspierany przez Open Source Matters ani Joomla! Projekt.